

RHAMNACEAE

ALPHITONIA Reissek ex Endl.

Alphitonia Endl. sect. *Alphitonia*
Alphitonia sect. *Tomentosae* Braid
WA, NT, Qld, NSW

Alphitonia excelsa (A.Cunn. ex Fenzl) Benth.

Alphitonia excelsa (A.Cunn. ex Fenzl) Benth. var. *excelsa*
Colubrina excelsa A.Cunn. ex Fenzl
Ceanothus excelsus (A.Cunn. ex Fenzl) Steud.
Alphitonia excelsa var. *acutifolia* Braid
Alphitonia sp. (Selwyn Ranges L.P.Conroy 3) [A.R.Bean in R.J.Henderson (ed.), *Names & Dist. Queensland Pl.* 171 (2002)]
Alphitonia sp. (Little Crystal Creek A.R.Bean 5237) [A.R.Bean in R.J.Henderson (ed.), *Names & Dist. Queensland Pl.* 171 (2002)]
[*Alphitonia philippinensis* auct. non Braid: C.T.White, *Proc. Roy. Soc. Queensland* 50: 70 (1939)]
The authorship of *Alphitonia excelsa* is often given as “(Fenzl) Endl.” or as “(Fenzl) Reissek ex Endl.”. Endlicher indicates but does not validly make the combination in *Gen. Pl.* 1098 (1840).
WA, NT, Qld, NSW

Alphitonia oblata A.R.Bean

[*Alphitonia incana* auct. non (Roxb.) Teijsm. & Binn. ex Kurz: B.P.M.Hyland *et al.*, *Austral. Trop. Rain Forest Pl.* CD-ROM (2002); P.D.Bostock & A.E.Holland, *Census Queensland Fl.* 173 (2007); J.Kellermann & K.R.Thiele, *J. Adelaide Bot. Gard.* 22: 33 (2008)]
[*Alphitonia philippinensis* auct. non Braid: C.T.White, *Proc. Roy. Soc. Queensland* 50: 70 (1939); B.P.M.Hyland *et al.*, *Austral. Trop. Rain Forest Pl.* CD-ROM (2002)]
[*Alphitonia moluccana* auct. non Teijsm. & Binn. ex Braid: K.W.Braid, *Bull. Misc. Inform. Kew* 1925: 185 (1925), *p.p.*; B.P.M.Hyland *et al.*, *Austral. Trop. Rain Forest Pl.* CD-ROM (2002)]
[*Alphitonia excelsa* auct. non (Fenzl) Benth.: J.W.Green, *Census Vasc. Pl. W. Australia* 2nd edn, 110, 180 (1985)]
[*Alphitonia obtusifolia* auct. non Braid.: C.A.Gardner, *Enum. pl. Austral. Occid.* 76 (1931); J.W.Green, *Census Vasc. Pl. W. Australia* 2nd edn, 110, 180 (1985)]
WA, NT, Qld

Alphitonia petriei Braid & C.T.White

Qld, NSW

Alphitonia pomaderroides (Fenzl) A.R.Bean

Ziziphus pomaderroides Fenzl
Alphitonia obtusifolia R.Br. ex Braid
Alphitonia obtusifolia R.Br. ex Braid var. *obtusifolia*
Alphitonia obtusifolia var. *tenuis* Braid
K.W.Braid, *Bull. Misc. Inform. Kew* 1925: 2-3 (1925) and A.R.Bean, *Muelleria* 28(1): 8 (2010) record Robert Brown's manuscript name for this taxon, *Caenothoides obtusifolia* (correctly spelled "*Ceanothoides*").
NT, Qld

Alphitonia whitei Braid

[*Alphitonia franguloides* auct. non A.Gray: F.M.Bailey, *Compr. Cat. Queensland Pl.* 837 (1913)]
[*Alphitonia excelsa* var. *franguloides* auct. non (A.Gray) F.M.Bailey: F.M.Bailey, *Compr. Cat. Queensland Pl.* 837 (1913)]
Qld

BLACKALLIA C.A.Gardner.

WA

Blackallia nudiflora (F.Muell.) Rye & Kellermann

Cryptandra nudiflora F.Muell.
Blackallia biloba C.A.Gardner
WA

CEANOTHUS L.

SA (naturalised)

Ceanothus thyrsiflorus Eschsch.

Ceanothus elegans Lemaire

SA (doubtfully naturalised)

COLUBRINA Rich. ex Brongn., *nom. cons.*

WA, NT, Qld

Colubrina asiatica (L.) Brongn.

Ceanothus asiaticus L.

WA, NT, Qld

Colubrina asiatica (L.) Brongn. var. **asiatica**

Ceanothus capsularis G.Forst. [*Fl. Ins. Austr.* 18 (1786)]

Pomaderris capsularis (G.Forst.) G.Don

WA

Colubrina pedunculata Baker f.

ChI

CRYPTANDRA Sm.

Cryptandra Sm. subgen. *Cryptandra*

Cryptandra Sm. sect. *Cryptandra*

Cryptandra subgen. *Eucryptandra* Reissek, *nom. inval.*

Cryptandra sect. *Eucryptandra* T.Post & Kuntze, *nom. inval.*

Cryptandra subgen. *Corisandra* Reissek

Wichuraea Nees ex Reissek, *nom. illeg.* [non M.Roemer (1847)]

Cryptandra sect. *Wichurea* Benth.

WA, NT, SA, Qld, NSW, ACT, Vic, Tas

Cryptandra alpina Hook.f.

Tas

Cryptandra amara Sm.

Cryptandra amara Sm. var. *amara*

Cryptandra sieberi Fenzl

Cryptandra sieberi Fenzl var. *sieberi*

Cryptandra sieberi var. *angustifolia* Fenzl

Cryptandra sieberi var. *latifolia* Fenzl

Cryptandra ericaefolia Sieber ex Fenzl, *nom. inval., pro syn.* [in S.F.L.Endlicher *et al.*, *Enum. Pl.* 23 (1837)]

Cryptandra nervata Reissek

Cryptandra largiflora F.Muell. ex Reissek

Cryptandra amara var. *longiflora* F.Muell. ex Maiden & Betcher

Cryptandra amara var. *amara* is recognised as a distinct taxon in Qld.

Qld, NSW, ACT, Vic, Tas

Cryptandra apetala Ewart & Jean White

WA

Cryptandra apetala Ewart & Jean White var. **apetala**

WA

Cryptandra apetala var. **anomala** Rye

WA

Cryptandra arbutiflora Fenzl

Wichuraea arbutiflora (Fenzl) Nees ex Reissek

Cryptandra suavis Lindl.

WA

Cryptandra arbutiflora Fenzl var. **arbutiflora**

WA

Cryptandra arbutiflora var. **borealis** Rye

Cryptandra arbutiflora var. *breviflora* Rye ms[Florabase]

WA

Cryptandra arbutiflora var. **pygmaea** Rye

WA

Cryptandra arbutiflora var. **tubulosa** (Fenzl) Benth.

Cryptandra tubulosa Fenzl

Wichuraea tubulosa (Fenzl) Nees

Cryptandra glabrata Steud.

Cryptandra miliaris var. *psilophylla* Reissek, *nom. illeg.* [based on *Cryptandra glabrata*]

Cryptandra lasiophylla Steud.

Cryptandra miliaris var. *lasiophylla* (Steud.) Reissek

Cryptandra miliaris Reissek, *nom. illeg.*

WA

Cryptandra aridicola Rye

WA, SA

Cryptandra armata C.T.White & W.D.Francis

Qld, NSW

Cryptandra beverleyensis Rye

Cryptandra sp. Beverley (M.Ochtman & D.Lynch 48) [Florabase]

WA

Cryptandra campanulata Schltdl.

Cryptandra sp. Long hypanthium (C.R. Alcock 10626) [W.R.Barker, *J. Adelaide Bot. Gard. Suppl.* 1: 90 (2005)]

[*Cryptandra amara* var. *longiflora* auct. non F.Muell. ex Maiden & Betcher: J.H.Maiden & E.Betcher, *Proc. Linn. Soc. New South Wales* Ser. 2, 28: 905 (1904), *p.p.*; J.M.Black, *Fl. S. Australia* 3: 370 (1926); E.M.Canning in J.P.Jessop & H.R.Toelken, *Fl. S. Australia* 4th edn, 2: 808 (1986)]

SA

Cryptandra ciliata A.R.Bean

Cryptandra sp. 1 [Briggs & Leigh (1996)]

Cryptandra sp. (*Gurulmundi* G.W. Althofer 8418) [Bean in Henderson (2002)]

Cryptandra sp. Q3 (aff. *propinqua*) Qld Herbarium

Qld

Cryptandra congesta Rye

WA

Cryptandra connata C.A.Gardner

Blackallia connata (C.A.Gardner) C.A.Gardner

WA

Cryptandra craigiae Rye

Cryptandra sp. Hopetoun (G.F. Craig 6408) [Florabase]

WA

Cryptandra crispula Rye

Cryptandra sp. Lefroy (R.J.Cranfield 10039) [Florabase]

WA

Cryptandra debilis A.R.Bean

Qld

Cryptandra dielsii C.A.Gardner ex Rye

Cryptandra dielsii Paczk. & A.R.Chapm., *nom. inval.*

Stenanthemum dielsii Rye MS

Cryptandra sp. Manmanning (B.H.Smith 395) [Florabase]

WA

Cryptandra distigma Rye

WA

Cryptandra ericoides Sm.

Cryptandra ericifolia Rudge, *orth. var.*

Cryptandra capitata Benth., *nom. inval., pro syn.* [under "*Cryptandra ericifolia*"]

NSW, Vic

Cryptandra exilis D.I.Morris

[*Cryptandra tomentosa* auct. non Lindl.: A.M.Buchanan, A.McGeary-Brown & A.E.Orchard, *Census Vasc. Pl. Tasmania* 36 (1989)]

Tas

Cryptandra exserta Rye

Cryptandra sp. Norseman (B.Archer 1940) [Florabase]

WA

Cryptandra filiformis A.R.Bean

Tephrastrum tenue K.R.Thiele ex J.D.Briggs & Leigh, *nom. inval., nom. nud.* [*Rare & Threatened Austral. Pl.* 163 (1996)]

Qld

Cryptandra gemmata A.R.Bean

Cryptandra sp. Oenpelli (N.B.Byrnes 2695) [NT Census]

NT

Cryptandra glabriflora Benth.

WA

Cryptandra graniticola Rye

WA

Cryptandra hispidula Reissek & F.Muell.

SA

Cryptandra imbricata Rye

Cryptandra imbricata Paczk. & A.R.Chapm., *nom. inval.* [*W. Australian Fl. Descr. Cat.* 507 (2000)]

WA

Cryptandra inconspicua Rye

Cryptandra inconspicua Paczk. & A.R.Chapm., *nom. inval.* [*W. Australian Fl. Descr. Cat.* 507 (2000)]

WA

Cryptandra intermedia (Rye) Rye

Cryptandra arbutiflora var. *intermedia* Rye

Cryptandra sp. Ravensthorpe (G.F.Craig 6309) [Florabase]

WA

Cryptandra intonsa Rye

WA

Cryptandra intratropica W.Fitzg.

WA

Cryptandra lanosiflora F.Muell.

Qld, NSW

Cryptandra leucopogon Meisn. ex Reissek

WA

Cryptandra longistaminea F.Muell.

Qld, NSW

Cryptandra magniflora F.Muell.

Cryptandra propinqua var. *grandiflora* Benth., p.p. [based on *C. magniflora*]

[*Cryptandra propinqua* auct. non A.Cunn. ex Fenzl: J.M.Black, *Fl. S. Australia* 3: 371 (1926); A.J.Ewart, *Fl. Victoria* 744 (1931); J.H.Willis, *Handb. Pl. Victoria* 2nd edn, 2: 372 (1973); E.M.Canning, *Fl. S. Australia* 4th edn, 2: 810 (1986); N.G.Walsh & F.Udovicic, *Fl. Victoria* 4: 112 (1999), p.p.]

Vic

Cryptandra micrantha Rye

Cryptandra micrantha Paczk. & A.R.Chapm., nom. inval. [*W. Australian Fl. Descr. Cat.* 508 (2000)]

WA

Cryptandra minutifolia Rye

Cryptandra parvifolia Turcz., nom. illeg. [*non* (Hook.) Hook.f. (1855); basionym]

WA

Cryptandra minutifolia Rye subsp. **minutiflora**

WA

Cryptandra minutifolia subsp. **brevistyla** Rye

WA

Cryptandra monticola Rye & Trudgen

WA

Cryptandra multispina Rye [*nom. et stat. nov.*; *non Cryptandra microcephala* Turcz.]

Cryptandra scoparia var. *microcephala* Benth. [basionym]

Cryptandra sp. Kalbarri (A.S.George 2364) [Florabase]

WA

Cryptandra mutila Nees

Cryptandra sp. Port Gregory (J.Brooker L58) [Florabase]

WA

Cryptandra myriantha Diels

Cryptandra sp. Simple-haired calyx (D.E.Symon 8875) W.R.Barker

[*Cryptandra tomentosa* auct.non Lindl.: E.M.Canning, *Fl. S. Australia* 4th edn, 2: 810 (1986), p.p.]

WA, SA, Vic

Cryptandra nola Rye

WA

Cryptandra nutans Steud.

Cryptandra nutans Steud. var. *nutans*

Cryptandra nutans var. *micrantha* Benth.

Cryptandra tomentosa var. *glabrata* Sond.

Cryptandra oxiphylla Steud. ex Reissek, nom. inval., pro syn. [in J.G.C.Lehmann, *Pl. Preiss.* 2: 286 (1848)]

[*Cryptandra tomentosa* auct. non Lindl.: S.Reissek, *Pl. Preiss.* 2: 286 (1848), p.p.]

WA

Cryptandra orbicularis A.R.Bean

Cryptandra sp. Isla Gorge (P.Sharpe 627) [A.R.Bean in R.J.F.Henderson, *Names Distrib. Queensland Pl.* 171 (2002)]

Qld

Cryptandra pendula Rye

Cryptandra sp. Allanooka (J.Else 21) [Florabase]

WA

Cryptandra pogonoloba A.R.Bean

Qld

Cryptandra pogonoloba A.R.Bean subsp. **pogonoloba**

Cryptandra pogonoloba subsp. *pogonoloba* Bostock & A.E.Holland, *orth. var.* [Census Queensland Fl. 173 (2007)]

Qld

Cryptandra pogonoloba subsp. **septentrionalis** Kellermann

Qld

Cryptandra polyclada Diels

WA

Cryptandra polyclada Diels subsp. **polyclada**

WA

Cryptandra polyclada subsp. **aequabilis** Rye

WA

Cryptandra propinqua A.Cunn. ex Fenzl

SA, Qld, NSW

Cryptandra propinqua A.Cunn. ex Fenzl subsp. **propinqua**

Cryptandra propinqua A.Cunn. ex Fenzl var. *propinqua*

Cryptandra rigida A.R.Bean

Cryptandra sp. Q4 (*ramosissima*) C.T.White *ms.*

Cryptandra sp. 1 [*sensu* Stanley & Ross (1986)]

Cryptandra sp. (Ngungun L.S. Smith 13973) [Bean in Henderson (2002)]

[*Cryptandra spinescens* auct. non DC.: C.T.White, *Queensland Naturalist* 2: 65 (1917)]

SA, Qld, NSW

Cryptandra propinqua subsp. **maranoa** Kellermann & Udovicic

Qld

Cryptandra pungens Steud.

Cryptandra holostyla Steud.

WA

Cryptandra recurva Rye

WA

Cryptandra scoparia Reissek

Cryptandra scoparia Reissek var. *scoparia*

WA

Cryptandra sp. **Floriferous (W.R.Barker 4131)** W.R.Barker

Cryptandra tomentosa var. 2 [N.G.Walsh & F.Udovicic, *Fl. Victoria* 4: 112 (1999)]

Cryptandra amara var. *floribunda* Maiden & Betcher

[*Cryptandra amara* auct. non Sm.: J.M.Black, *Fl. S. Australia* 2nd edn, 3: 552 (1952), *p.p.*]

Treated as *Cryptandra amara* var. *floribunda* in Qld and NSW.

SA, Qld, NSW, ACT, Vic

Cryptandra speciosa A.Cunn. ex Kellermann & Udovicic

Qld, NSW, ACT, Vic

Cryptandra speciosa A.Cunn. ex Kellermann & Udovicic subsp. **speciosa**

Cryptandra propinqua var. *grandiflora* Benth., *p.p.*

[*Cryptandra propinqua* auct. non. A.Cunn. ex Fenzl: N.T.Burbidge & M.Gray, *Fl. Austral. Cap. Terr.* 252 (1970); N.C.W.Beadle, *Stud. Fl. N. E. New South Wales* 4: 518 (1980); G.J.Harden in G.J.Harden (ed.), *Fl. New South Wales* 1: 371 (1990), *p.p.*; N.G.Walsh & F.Udovicic, *Fl. Victoria* 4: 112 (1999), *p.p.*]

NSW, ACT, Vic

Cryptandra speciosa subsp. **strigosa** Kellermann & Udovicic

Cryptandra strigosa Kellerman & Udovicic ex Bostock & A.E.Holland, *nom. inval., nom. nud.* [*Census Queensland Fl.* 173 (2007)]

[*Cryptandra propinqua* auct. non A.Cunn. ex Fenzl: A.R.Bean, *Austrobaileya* 6(4): 926–927 (2004), *p.p.*]

Qld

Cryptandra spinescens DC.

Cryptandra pyramidalis R.Br. ex Brongn.

NSW

Cryptandra spyridioides F.Muell.

Cryptandra sp. Forrestania (A.O'Connor & V.Longman FF1609) [Florabase]

WA

Cryptandra stellulata Rye

Cryptandra sp. Morawa (F.Keast M1C 253) [Florabase]

WA

Cryptandra tomentosa Lindl.

Cryptandra tomentosa var. *tomentosa*

Cryptandra tomentosa var. 1 [N.G.Walsh & F.Udovicic, *Fl. Victoria* 4: 112 (1999)]

Cryptandra behriana Reissek

Cryptandra erubescens F.Muell. ex Reissek

Cryptandra divaricata Reissek

SA, Vic

Cryptandra triplex K.R.Thiele ex Kellermann

Cryptandra D019989 Jabiru

Cryptandra sp. 'Jabiru East'

Cryptandra sp. Jabiru (L.A.Craven 6484)

Cryptandra sp. 5 (Jabiru; L.A.Craven 6484)

NT

Cryptandra wilsonii Rye

WA

DISCARIA Hook.

Solenantha G.Don.

Tetrapasma G.Don

Tetrasperma Steud., *orth. var.* [*Nomencl. Bot.* 2nd edn, 2: 673 (1841)]

Qld, NSW, ACT, Vic, Tas

Discaria nitida Tortosa

NSW, Vic

Discaria pubescens (Brongn.) Druce

Colletia pubescens Brongn.

Discaria australis Hook., *nom. illeg.* [based on *Colletia pubescens*]

Discaria pubescens (Brongn.) Domin, *nom. illeg.* [*Biblioth. Bot.* 89: 919 (1927); *non* Druce]

Tetrapasma juncea G.Don

Tetrasperma juncea Steud., *orth. var.* [*Nomencl. Bot.* 2nd edn, 2: 673 (1841)]

Solenantha spinosa A.Cunn. ex G.Don

Cryptandra spinosa G.Don, *nom. inval., pro syn.*

Cryptandra spinosa (A.Cunn. ex G.Don) Steud.

Colletia cunninghamii Fenzl

Pomaderris oxyphylla Fenzl, *nom. inval., pro syn.* [under *Colletia cunninghamii* Fenzl; in S.F.L.Endlicher *et al.*, *Enum. Pl. Huegel* 23 (1837)]

Qld, NSW, ACT, Vic, Tas

EMMENOSPERMA F.Muell.

Emmenospermum Benth., *orth. var.*

WA, NT, Qld, NSW

Emmenosperma alphonoides F.Muell.

Emmenosperma alphonoides F.Muell., *orth. var.*

Alphonidia emmenosperma F.Muell., *nom. inval., pro syn.*

Emmenospermum alphonoides Benth., *orth. var.*

Qld, NSW

Emmenosperma cunninghamii Benth.

Emmenospermum cunninghamii Benth., *orth. var.*

WA, NT, Qld

GOUANIA Jacq.

Lupulus Kuntze, *nom. illeg.* [non Mill. (1754)]

Qld

Gouania australiana F.Muell.

Gouania hillii F.Muell.

Lupulus hillii (F.Muell.) Kuntze

Qld

Gouania exilis K.R.Thiele

[*Gouania hillii* auct. non F.Muell.: E.M.Ross in R.J.F.Henderson (ed.), *Queensland Vasc. Pl.: Names & Dist.* 291 (1994)]

Qld

GRANITITES Rye

Granitites intangendus (F.Muell.) Rye

Pomaderris intangenda F.Muell.

Cryptandra intangenda F.Muell., *nom. inval., pro syn.*

Cryptandra petraea S.Moore

WA

HOVENIA Thunb.

Qld (doubtfully naturalised), NSW (naturalised)

Hovenia dulcis Thunb. [Nov. Gen. Pl. 1: 8 (1781)]

Qld (doubtfully naturalised), NSW (naturalised)

NOLTEA Rchb.

Willemetia Brongn., *nom. illeg.* [Mem. Fam. Rhamnees 63 (1826), non Necker (1790), nec Maerklin (1802)]

SA (naturalised)

Noltea africana (L.) Endl.

Ceanothus africanus L.

Willemetia africana (L.) Brongn. [Mem. Fam. Rhamnees 64 (1826)]

Noltea africana (L.) Rchb. ex Harv. & Sond., *nom. illeg.* [Fl. Cap. 1: 478 (1860); non Endl.]

SA (naturalised)

PAPISTYLUS Kellermann, Rye & K.R.Thiele

WA

Papistylus grandiflorus (C.A.Gardner) Kellermann, Rye & K.R.Thiele

Cryptandra grandiflora C.A.Gardner

Stenanthemum grandiflorum B.J.Grieve, *nom. inval.*

Stenanthemum grandiflorum Paczk. & A.R.Chapm., *nom. inval.*

WA

Papistylus intropubens Rye

Stenanthemum intropubens Paczk. & A.R.Chapm., *nom. inval.* [*W. Australian Fl. Descr. Cat.* 510 (2000)]

Cryptandra sp. Boddington (K.Atkins 309) [Florabase]

Stenanthemum sp. Boddington (K.Atkins 309) [Florabase]

WA

POLIANTHION K.R.Thiele.

Pomaderris sect. *Biloculares* N.G.Walsh

WA, Qld

Polianthion biloculare (A.S.George) Kellermann

Polianthion bilocularis Kellermann, *orth. var.*

Pomaderris bilocularis A.S.George

WA

Polianthion collinum Rye

Genus sp. Yalgoo (J.M.Ward s.n. 11/7/1999) [Florabase]

Listed by J.Kellermann *et al.*, *Taxon* 54(3): 625, 628, 631 (2005) as "sp. Yalgoo" (i.e. with no indication of generic placement).

WA

Polianthion minutiflorum (E.M.Ross) K.R.Thiele

Trymalium minutiflorum E.M.Ross

Qld

Polianthion wichurae (Nees) K.R.Thiele

Trymalium wichurae Nees

Cryptandra wichurae (Nees) F.Muell.

WA

POMADERRIS Labill.

Pomaderris subgen. *Eupomaderris* Suess., *nom. inval.*

Pomaderris Labill. sect. *Pomaderris*

Pomatoderris Schult., *nom. illeg.*, *nom. superfl.* [*Syst. Veg.* 5: xxxii, 414 (1819), based on *Pomaderris* Labill.]

Pomatiderris Schult., *orth. var.* [*op. cit.*: 622]

Cryptandra sect. *Pomaderris* (Labill.) Kuntze

Ledelia Raf.

Pomaderris subgen. *Apomaderris* Suess., *nom. inval.* [no Latin description]

Pomaderris sect. *Annulares* N.G.Walsh

Pomaderris sect. *Apetalae* N.G.Walsh

Pomaderris sect. *Flabellares* N.G.Walsh

Pomaderris sect. *Psilogyne* N.G.Walsh

Pomaderris sect. *Umbelliflorae* N.G.Walsh

SA (native and naturalised), Qld, NSW, ACT, Vic, Tas

Pomaderris adnata N.G.Walsh & F.Coates

NSW

Pomaderris andromedifolia A.Cunn.

Pomaderris andromedaefolia A. Cunn., *orth. var.*

Pomaderris androsaemifolia Heynh., *orth. var.*

Pomaderris phyllireoides Sieber ex DC.
Pomaderris phylliraeoides DC., orth. var.
Pomaderris elliptica var. *phyllireioides* (Sieber ex DC.) Fenzl
Pomaderris elliptica var. *phylliraeioides* Fenzl, orth. var.
Pomaderris phyllireoides Sieber ex DC. var. *phyllerioides*
Qld, NSW, ACT, Vic

Pomaderris andromedifolia A.Cunn. subsp. **andromedifolia**
Pomaderris andromedifolia A.Cunn. f. '*andromedifolia*' [Plantnet]
Pomaderris andromedifolia f. '*narrow-leaved*' [Plantnet]
Pomaderris andromedifolia f. '*small-leaved*' [Plantnet]
Qld, ACT, Vic

Pomaderris andromedifolia subsp. **confusa** N.G.Walsh & Coates
Pomaderris sp. A, p.p. [S.W.L.Jacobs & J.Pickard, *Pl. New South Wales* 185 (1981)]
NSW, ACT, Vic

Pomaderris angustifolia N.A.Wakef.
Pomaderris ledifolia var. ?*angustifolia* Benth.
NSW, ACT, Vic

Pomaderris apetala Labill.
Pomatoderris apetala Schult., orth. var.
Pomaderris scabra Steud., nom. illeg. [*Pomaderris apetala* cited in synonymy]
Pomaderris tainui Hector [*Trans. & Proc. New Zealand Inst.* 11: 429 (1879)]
Vic, Tas

Pomaderris apetala Labill. subsp. **apetala**
Vic, Tas

Pomaderris apetala subsp. **maritima** N.G.Walsh & Coates
Pomaderris sp. aff. *apetala* (Coastal) [J.H.Ross, *Census Vasc. Pl. Victoria* 4th edn, 96 (1993)]
Vic, Tas

Pomaderris argyrophylla N.A.Wakef.
Pomaderris argyrophylla N.A.Wakef. subsp. *argyrophylla*
Qld, NSW

Pomaderris aspera Sieber ex DC.
Pomaderris mollis Colenso [*Trans. N.Z. Inst.* 25: 327 (1893)]
[*Pomaderris apetala* auct. non Labill.: J.H.Maiden & E.Betche, *Census New South Wales Pl.* 133 (1916); J.M.Black, *Fl. S. Australia* 2nd edn, 3: 546 (1952)]
Hybrids between *Pomaderris aspera* and *P. cinerea* are referred to *Pomaderris* ×*viridis* N.G.Walsh. The status of *P. aspera* in SA is uncertain.
SA (?native and doubtfully naturalised), Qld, NSW, ACT, Vic, Tas

Pomaderris aurea N.A.Wakef.
Pomaderris humilis N.G.Walsh
Vic

Pomaderris betulina A.Cunn. ex Hook.
Ledelia betulina (A.Cunn. ex Hook.) Raf.
NSW, ACT, Vic

Pomaderris betulina A.Cunn. ex Hook. subsp. **betulina**
NSW, ACT, Vic

Pomaderris betulina subsp. **actensis** N.G.Walsh & Coates
Pomaderris sp. A, p.p. [S.W.L.Jacobs & J.Pickard, *Pl. New South Wales* 185 (1981); G.J.Harden in G.J.Harden (ed.), *Fl. New South Wales* 1: 362 (1990)]
NSW, ACT

Pomaderris bodalla N.G.Walsh & F.Coates
NSW

Pomaderris brevifolia N.G.Walsh
WA

Pomaderris briagolensis Messina
Pomaderris sp. aff. *prunifolia* (*Briagolong*) [N.G.Walsh & V.Stajsic, *Census Vasc. Pl. Victoria*, 8th edn 120, 250 (2007)]
Vic

Pomaderris brogoensis N.G.Walsh
NSW

Pomaderris brunnea N.A.Wakef.
NSW, Vic

Pomaderris buehneri N.G.Walsh
Pomaderris sp. aff. *oblongifolia* (*Buehner*) [N.G.Walsh & V.Stajsic, *Census Vasc. Pl. Victoria*, 8th edn 120, 250 (2007)]
Vic

Pomaderris canescens (Benth.) N.A.Wakef.
Pomaderris ferruginea var. *canescens* Benth.
Qld

Pomaderris cinerea Benth.
Hybrids between *Pomaderris cinerea* and *P. aspera* are referred to *Pomaderris* × *viridis* N.G.Walsh.
NSW

Pomaderris clivicola E.M.Ross
Qld

Pomaderris cocoparrana N.G.Walsh
NSW

Pomaderris coomingalensis N.G.Walsh & F.Coates
Pomaderris sp. (*Coominglah P.I.Forster PIF15904*) [A.R.Bean in R.J.F.Henderson (ed.), *Queensland Pl. Names & Dist.* 178 (1997)]
Qld

Pomaderris costata N.A.Wakef.
NSW, Vic

Pomaderris cotoneaster N.A.Wakef.
NSW, Vic

Pomaderris crassifolia N.G.Walsh & F.Coates
Qld, NSW

Pomaderris delicata N.G.Walsh & F.Coates
NSW

Pomaderris discolor (Vent.) Poir.
Ceanothus discolor Vent. [*Jard. Malm.* t. 58 (1804)]
NSW, Vic

Pomaderris elachophylla F.Muell.
NSW, Vic, Tas

Pomaderris elliptica Labill.
Pomatoderris elliptica Schult., orth. var.

Pomaderris multiflora Sieber ex Fenzl

Pomaderris malifolia Sieber ex Steud., *nom. illeg.* [based on same Type as *Pomaderris multiflora*]

NSW, Vic, Tas

Pomaderris elliptica Labill. var. **elliptica**

NSW, Vic, Tas

Pomaderris elliptica var. **diemenica** N.G.Walsh & F.Coates

Tas

Pomaderris eriocephala N.A.Wakef.

NSW, ACT, Vic

Pomaderris ferruginea Sieber ex Fenzl

Pomaderris ferruginea Sieber ex Fenzl var. *ferruginea*

Pomaderris viridirufa Sieber ex Fenzl, *nom. inval., pro syn.*

Pomaderris elliptica var. *ferruginea* (Sieber ex Fenzl) C.Moore & Betcher

Ceanothus wendlandianus Schult.

Pomaderris wendlandiana (Schult.) G.Don

Trymalium wendlandianum (Schult.) Sweet

Qld, NSW, Vic

Pomaderris flabellaris (F.Muell. ex Reissek) J.M.Black

Pomaderris flabellare J.M.Black, *orth. var.*

Trymalium flabellare F.Muell. ex Reissek

SA

Pomaderris forrestiana F.Muell.

Pomaderris mayeri C.A.Gardner

WA, SA

Pomaderris gilmourii N.G.Walsh

NSW

Pomaderris gilmourii N.G.Walsh var. **gilmourii**

NSW

Pomaderris gilmourii var. **cana** N.G.Walsh

NSW

Pomaderris grandis F.Muell.

WA

Pomaderris graniticola (N.G.Walsh & Coates) K.L.McDougall & Millott

Pomaderris argyrophylla subsp. *graniticola* N.G.Walsh & Coates

Pomaderris sp. 1 [Fl. SE Qld 2: 50 (1986)]

Qld, NSW

Pomaderris halmaturina J.M.Black

SA, Vic

Pomaderris halmaturina J.M.Black subsp. **halmaturina**

SA

Pomaderris halmaturina subsp. **continentis** N.G.Walsh

SA, Vic

Pomaderris helianthemifolia (Reissek) N.A.Wakef.

Trymalium helianthemifolium Reissek

NSW, Vic

Pomaderris helianthemifolia (Reissek) N.A.Wakef. subsp. **helianthemifolia**

Vic

Pomaderris helianthemifolia subsp. **hispida** N.G.Walsh & F.Coates

Pomaderris phyllicifolia var. *latifolia* Benth.

NSW, Vic

Pomaderris helianthemifolia subsp. **minor** N.G.Walsh & F.Coates

Vic

Pomaderris intermedia Sieber ex DC.

Pomaderris affinis N.A.Wakef.

Pomaderris sieberiana N.A.Wakef.

NSW, Vic, Tas

Pomaderris lanigera (Andrews) Sims

Ceanothus laniger Andrews

Pomatoderris lanigera Schult., orth. var.

Pomaderris ferruginea var. *pubescens* Benth.

Pomaderris hirta Reissek

Pomaderris simsii Sweet, nom. inval., nom. nud.

Pomaderris obscura Sieber ex Fenzl, nom. inval., pro syn. [under *Pomaderris lanigera*]

Qld, NSW, Vic

Pomaderris lanigera var. **Mt Maroon (L.S.Smith 12161)** Qld Herbarium

Qld

Pomaderris ledifolia A.Cunn.

Pomaderris ledifolia A.Cunn. var. *ledifolia*

Pomaderris calvertiana F.Muell.

Qld, NSW, Vic

Pomaderris ligustrina Sieber ex DC.

Qld, NSW, Vic

Pomaderris ligustrina Sieber ex DC. subsp. **ligustrina**

Qld, NSW, Vic

Pomaderris ligustrina subsp. **latifolia** N.G.Walsh & Coates

Pomaderris ligustrina subsp. (Ballandean NP M.S.Clemens AQ109706) [Queensland Herbarium Achievements 1996-1997 22 (1998)]

Qld, NSW

Pomaderris mediora N.G.Walsh & F.Coates

Pomaderris sp. B [S.W.L.Jacobs & J.Pickard, *Pl. New South Wales* 185 (1981)]

NSW

Pomaderris myrtilloides Fenzl

Pomaderris myrtilloides Fenzl var. *myrtilloides*

Pomaderris myrtilloides var. *major* Benth.

Pomaderris stenopetala F.Muell.

The record of this species in W.R.Barker *et al.*, *Census S. Austral. Vasc. Pl.* 90 (2005), is based on a single unvouchered record from Kangaroo Is. The taxon is not currently considered to occur in SA.

WA

Pomaderris nitidula (Benth.) N.A.Wakef.

Pomaderris phyllireoides var. *nitidula* Benth.

Qld, NSW

Pomaderris notata S.T.Blake

Qld, NSW

Pomaderris obcordata Fenzl

Trymalium bauritum Reissek & F.Muell.
Pomaderris baurita (Reissek & F.Muell.) F.Muell.
Pomaderris bauritum F.Muell., *orth. var.*
Trymalium bilobatum F.Muell.
SA, Vic (extinct)

Pomaderris oblongifolia N.G.Walsh

Vic

Pomaderris oraria F.Muell. ex Reissek

Pomaderris ovaria F.Muell. ex Reissek, *orth. var.*
[*Pomaderris racemosa* auct. non Hook.: G.Bentham, *Fl. Austral.* 1: 421, 422 (1863), *p.p.* (form a only); L.Rodway, *Tasman. Fl.* 26 (1903), *p.p.*; A.J.Ewart, *Fl. Victoria* 748 (1931)]
Vic, Tas

Pomaderris oraria F.Muell. ex Reissek subsp. **oraria**

Vic, Tas

Pomaderris oraria subsp. **callicola** N.G.Walsh

Vic

Pomaderris pallida N.A.Wakef.

NSW, ACT

Pomaderris paniculosa F.Muell. ex Reissek

[*Pomaderris oraria* auct. non F.Muell. ex Reissek: J.H.Willis, *Handb. Pl. Victoria* 2: 366 (1973), *p.p.*; W.E.Blackall & B.J.Grieve, *How to know W. Austral. Wildflowers* 1&2: 331 (1981); S.W.L.Jacobs & J.Pickard, *Pl. New South Wales* 185 (1981)]
[*Pomaderris racemosa* auct. non Hook.: G.Bentham, *Fl. Austral.* 1: 421, 422 (1863), *p.p.* (form c only); J.H.Maiden & E.Betche, *Census New South Wales Pl.*: 133 (1916), *p.p.*; A.J.Ewart, *Fl. Victoria* 748 (1931), *p.p.*]
[*Pomaderris obcordata* auct. non Fenzl: C.A.Gardner, *Enum. Pl. Austral. Occid.* 76 (1930); J.W.Green, *Census Vasc. Pl. W. Australia* 2nd edn, 273 (1985)]
WA, SA, ?NSW, Vic, Tas

Pomaderris paniculosa F.Muell. ex Reissek subsp. **paniculosa**

[*Pomaderris racemosa* auct. non Hook.: J.M.Black, *Fl. S. Australia* 2nd edn, 3: 546 (1952), *p.p.*]
[*Pomaderris oraria* auct. non F.Muell. ex Reissek: J.P.Jessop in J.P.Jessop & H.R.Toelken (eds), *Fl. S. Australia* 4th edn, 2: 812 (1986), *p.p.*]
WA, SA, ?NSW, Vic

Pomaderris paniculosa subsp. **paralia** N.G.Walsh

[*Pomaderris racemosa* auct. non Hook.: J.M.Black, *Fl. S. Australia* 3: 366 (1926), *p.p.*]
[*Pomaderris oraria* auct. non F.Muell. ex Reissek: J.P.Jessop in J.P.Jessop & H.R.Toelken (eds), *Fl. S. Australia* 4th edn, 2: 812 (1986), *p.p.*]
WA, SA, Vic, Tas

Pomaderris parrisiae N.G.Walsh

NSW

Pomaderris pauciflora N.A.Wakef.

NSW, Vic

Pomaderris phyllicifolia Lodd. ex Link

Pomaderris ericifolia Hook.
Pomaderris phyllicifolia var. *ericifolia* (Hook.) L.B.Moore [in H.H.Allan, *Fl. New Zealand* 1: 423 (1961)]
Pomaderris polifolia F.Muell. ex Reissek
Pomaderris phyllicifolia var. *polifolia* (F.Muell. ex Reissek) L.B. Moore [in H.H. Allan, *Fl. New Zeal.* 1: 423 (1961)]
Pomaderris amoena Colenso [Trans. New Zealand Inst. 18: 258 (1886)]
NSW, ACT, Vic, Tas

Pomaderris phylicifolia Lodd. ex Link subsp. **phylicifolia**

Pomaderris phylicifolia Link var. *phylicifolia*

NSW, Vic, Tas

Pomaderris phylicifolia subsp. **ericoides** (Maiden & Betche) N.G.Walsh & F.Coates

Pomaderris phylicifolia var. *ericoides* Maiden & Betche

NSW, ACT, Vic, Tas

Pomaderris pilifera N.A.Wakef.

NSW, Vic, Tas

Pomaderris pilifera N.A.Wakef. subsp. **pilifera**

Vic, Tas

Pomaderris pilifera subsp. **talpicutica** A.M.Gray & Wapstra

Tas

Pomaderris precaria N.G.Walsh & F.Coates

Pomaderris sp. D [G.J.Harden in G.J.Harden (ed.), *Fl. New South Wales* 1: 364 (1990)]

NSW

Pomaderris prunifolia A.Cunn. ex Fenzl

Qld, NSW, Vic

Pomaderris prunifolia A.Cunn. ex Fenzl var. **prunifolia** [autonym; generated by publication of *P. prunifolia* var. *edgerlyi* (Hook.f.) L.B.Moore, a New Zealand endemic]

NSW, Vic

Pomaderris queenslandica C.T.White

Qld, NSW

Pomaderris racemosa Hook.

Pomaderris subrepanda F.Muell. ex Reissek

SA, Vic, Tas

Pomaderris reperta N.G.Walsh & F.Coates

NSW

Pomaderris rotundifolia (F.Muell.) Rye

Spyridium rotundifolium F.Muell.

Cryptandra rotundifolia (F.Muell.) F.Muell.

WA

Pomaderris sericea N.A.Wakef.

NSW, Vic

Pomaderris subcapitata N.A.Wakef.

NSW, ACT, Vic

Pomaderris subplicata N.G.Walsh

Vic

Pomaderris tropica N.A.Wakef.

Qld

Pomaderris vacciniifolia Reissek

Pomaderris phyllirifolia Reissek, *nom. inval., pro syn.*

Pomaderris phillyraefolia Reissek, *orth. var.*

Vic

Pomaderris vellea N.A.Wakef.

Qld, NSW

Pomaderris velutina J.H.Willis

Trymalium velutinum F.Muell., *nom. inval., nom. nud.* [Second Gen. Rep. 11 (1854); *non* F.Muell. ex Reissek (1857)]

NSW, Vic

Pomaderris virgata N.G.Walsh

NSW, Vic

Pomaderris ×viridis N.G.Walsh

Pomaderris sp. C [G.J.Harden in G.J.Harden (ed.), *Fl. New South Wales* 1: 365 (1990)]

A hybrid between *Pomaderris aspera* and *P. cinerea*.

NSW

Pomaderris walshii J.C.Millott & K.L.McDougall

NSW

RHAMNELLA Miq.

Dallachya F.Muell.

Qld

Rhamnella vitiensis (Benth.) A.C.Sm.

Colubrina vitiensis Seem., *nom. inval., nom. nud.*

Rhamnus ?vitiensis Benth.

Dallachya vitiensis (Benth.) F.Muell.

Qld

RHAMNUS L.

WA (naturalised), SA (naturalised), Qld (native and doubtfully naturalised), NSW (naturalised), Vic (naturalised), Tas (naturalised)

Rhamnus alaternus L.

WA (naturalised), SA (naturalised), Qld (doubtfully naturalised), NSW (naturalised), Vic (naturalised), Tas (naturalised)

Rhamnus napalensis (Wall.) M.A.Lawson [*Fl. Brit. India* 1: 640 (1875)]

Rhamnus nipalensis M.A.Lawson, *orth. var.*

Ceanothus napalensis Wall. [*Fl. Ind.* 2: 375 (1824)]

Rhamnus javanica Miq. [*Fl. Ned. Ind.* 1: 646 (1855)]

Qld

SAGERETIA Brongn.

Qld

Sageretia hamosa (Wall.) Brongn. [*Mém. Fam. Rhamnées* 53 (1826)]

Ziziphus hamosa Wall. [*Fl. Ind.* 2: 369 (1824)]

Zizyphus hamosa Wall., *orth. var.*

Qld

SCHISTOCARPAEA F.Muell.

Qld

Schistocarpaea johnsonii F.Muell.

Qld

SERICHONUS K.R.Thiele

WA

Serichonus gracilipes (Diels) K.R.Thiele

Stenanthemum gracilipes Diels

Cryptandra gracilipes (Diels) C.A.Gardner

WA

SIEGFRIEDIA C.A.Gardner [(1933)]

Siegfriedia C.A.Gardner, *nom. inval., nom. nud.* [(1931)]

WA

Siegfriedia darwinioides C.A.Gardner [(1933)]

Siegfriedia darwinioides C.A.Gardner, *nom. inval., nom. nud.* [(1931)]

WA

SPYRIDIMUM Fenzl.

Cryptandra sect. *Spyridium* (Fenzl) Kuntze

Cryptandra subgen. *Solenandra* Reissek, *p.p.*

Solenandra (Reissek) Kuntze, *p.p., nom. illeg., nom. superfl.* [*non* Hook.f. (1873), *nec* Hook.f. (1876)]

Cryptandra sect. *Solenandra* (Reissek) T.Post & Kuntze, *p.p.*

Stenodiscus Reissek

Cryptandra sect. *Stenodiscus* (Reissek) Weberb. ex T.Post & Kuntze

Trymalium subgen. *Eutrymalium* Reissek, *nom. inval.* [type subgenus for *Trymalium*, but included only species now placed in *Spyridium*]

WA, SA, Qld, NSW, ACT, Vic, Tas

Spyridium bifidum (F.Muell.) Benth.

Trymalium bifidum F.Muell.

Cryptandra bifida (F.Muell.) F.Muell.

SA

Spyridium bifidum (F.Muell.) Benth. var. **bifidum**

Spyridium bifidum var. Marble Range (W.R.Barker 7601) [SA Census]

Trymalium stenophyllum Reissek

SA

Spyridium bifidum var. **integrifolium** J.M.Black

Spyridium bifidum var. Wanilla (K.Clipstone 88) [SA Census]

SA

Spyridium burragorang K.R.Thiele

NSW

Spyridium buxifolium (Fenzl) K.R.Thiele

Cryptandra buxifolia Fenzl

NSW

Spyridium cinereum N.A.Wakef.

NSW, Vic

Spyridium coactilifolium Reissek

Spyridium coactilifolium Reissek var. *coactilifolium*

Pomaderris coactilifolia F.Muell. ex Reissek, *nom. inval., pro syn.* [under *Spyridium coactilifolium*]

Cryptandra coactilifolia (Reissek) F.Muell.

SA

Spyridium cordatum (Turcz.) Benth.

Cryptandra cordata Turcz.

WA

Spyridium daltonii (F.Muell.) Kellermann

Trymalium daltonii F.Muell.

Cryptandra daltonii (F.Muell.) F.Muell.

Cryptandra daltoni F.Muell., *orth. var.*

Vic

Spyridium eriocephalum Fenzl

Cryptandra eriocephala (Fenzl) Hook.f.

Trymalium uncinatum F.Muell., *nom. inval.*, *nom. nud.*

Spyridium uncinatum Reissek

SA, NSW, Vic, Tas

Spyridium eriocephalum Fenzl var. **eriocephalum**

SA, Vic, Tas

Spyridium eriocephalum var. **glabrisepalum** J.M.Black

SA

Spyridium erymnocladum W.R.Barker

SA

Spyridium glaucum Rye

Spyridium sp. Ravensthorpe (E.M.Bennett s.n.) [Florabase]

WA

Spyridium globulosum (Labill.) Benth.

Spyridium globulosum (Labill.) Benth. var. *globulosum*

Ceanothus globulosus Labill.

Ceanothus globulosa Labill., *orth. var.*

Trymalium globulosum (Labill.) Fenzl

Cryptandra globulosa (Labill.) F.Muell.

Pomaderris globulosa (Labill.) G.Don

Pomaderris phyllirifolia Fenzl

Pomaderris phylliraeifolia Fenzl, *orth. var.*

Pomaderris albicans Steud.

Trymalium albicans (Steud.) Reissek

Cryptandra albicans (Steud.) F.Muell.

Spyridium globulosum var. *albicans* (Steud.) Diels

Pomaderris aemula Steud.

Pomaderris polyantha Steud.

Pomaderris pyrrophylla Steud.

WA

Spyridium gunnii (Hook.f.) Benth.

Cryptandra gunnii Hook.f.

Spyridium obovatum var. *gunnii* (Hook.f.) Rodway

Tas

Spyridium halmaturinum (F.Muell.) Benth.

Trymalium halmaturinum F.Muell.

Cryptandra halmaturina (F.Muell.) F.Muell.

SA

Spyridium halmaturinum (F.Muell.) Benth. var. **halmaturinum**

[*Spyridium coactilifolium* auct. non Reissek: W.R.Barker, *List Vasc. Pl. S. Australia* 4th edn, 55 (1993)]

SA

Spyridium halmaturinum var. **integrifolium** J.M.Black

SA

Spyridium halmaturinum var. **scabridum** (Tate) J.M.Black

Cryptandra scabrida Tate

Spyridium scabridum Tate, *nom. inval., pro syn.*

SA

Spyridium lawrencei (Hook.f.) Benth.

Cryptandra lawrencei Hook.f.

Trymalium microphyllum F.Muell. ex Reissek

Spyridium microphyllum (Reissek) Druce

Tas

Spyridium leucopogon (F.Muell. ex Reissek) F.Muell.

Spyridium leucopogon F.Muell. var. *leucopogon*

Trymalium leucopogon F.Muell. ex Reissek

Spyridium eriocephalum var. *adpressum* J.M.Black

SA

Spyridium majoranifolium (Fenzl) Rye

Trymalium majoranifolium Fenzl

Spyridium spadiceum var. *majoranifolium* (Fenzl) Benth.

Trymalium majoranifolium Fenzl var. *majoranifolium*

Pomaderris commixta Steud.

Trymalium majoranifolium var. *velutinum* Reissek

Pomaderris subretusa Steud.

Trymalium majoranifolium var. *calvescens* Reissek

Spyridium spadiceum var. *calvescens* (Reissek) Benth.

WA

Spyridium microcephalum (Turcz.) Benth.

Cryptandra microcephala Turcz.

Spyridium denticuliferum Diels

WA

Spyridium minutum Rye

Spyridium sp. Mt Beaumont (K.R.Newbey 6718) [Florabase]

WA

Spyridium montanum Rye

WA

Spyridium mucronatum Rye

WA

Spyridium mucronatum Rye subsp. ***mucronatum***

Spyridium sp. Frank Hann (K.R.Newbey 6688) [Florabase]

WA

Spyridium mucronatum subsp. ***multiflorum*** Rye

WA

Spyridium mucronatum subsp. ***recurvum*** Rye

WA

Spyridium nitidum N.A.Wakef.

Spyridium spathulatum var. *microphyllum* Benth.

[*Spyridium spathulatum* auct. non (F.Muell.)Benth.: J.H.Willis, *Handb. Pl. Victoria* 2: 369 (1973)]

SA, Vic

Spyridium obcordatum (Hook.f.) W.M.Curtis

Cryptandra obcordata Hook.f.

Trymalium serpyllaceum Reissek & F.Muell.

Spyridium serpyllaceum F.Muell., *nom. illeg.* [*Cryptandra obcordata* Hook.f. cited in synonymy]

Tas

Spyridium obovatum (Hook.) Benth.

Pomaderris obovata Hook.

Trymalium obovatum (Hook.) Reissek

Cryptandra obovata (Hook.) Hook.f., *nom. illeg.* [non Sieber ex DC. (1825)]

Tas

Spyridium obovatum (Hook.) Benth. var. **obovatum**

Tas

Spyridium obovatum var. **velutinum** (F.Muell. ex Reissek) Benth.

Trymalium velutinum F.Muell. ex Reissek [non *T. velutinum* F.Muell. (1854), *nom. nud.*]

Tas

Spyridium oligocephalum (Turcz.) Benth.

Trymalium oligocephalum Turcz.

Spyridium kalganense Diels

WA

Spyridium parvifolium (Hook.) F.Muell.

Spyridium parvifolium (Hook.) F.Muell. var. *parvifolium*

Pomaderris parvifolia Hook.

Cryptandra hookeri F.Muell., *nom. illeg.* [based on *Pomaderris parvifolia* Hook.]

Cryptandra parvifolia (Hook.) Hook.f.

Trymalium parvifolium (Hook.) Reissek

Trymalium eupatorioides Reissek & F.Muell.

?*Trymalium hermannioides* Reissek

Cryptandra mollis Hook.f.

Spyridium parvifolium var. *molle* (Hook.f.) Benth.

Spyridium parvifolium var. *grande* Benth.

Spyridium parvifolium var. *hirsutissimum* Benth.

Spyridium parvifolium var. *parvifolium* and *S. parvifolium* var. *molle* are treated as distinct taxa in Tas.

SA, NSW, ACT, Vic, Tas

Spyridium phlebophyllum (F.Muell.) F.Muell.

Trymalium phlebophyllum F.Muell.

Cryptandra phlebophylla (F.Muell.) F.Muell.

SA

Spyridium phyllicoides Reissek

Trymalium vexilliferum F.Muell. ex Reissek, *nom. inval., pro syn.*

[*Spyridium vexilliferum* auct. non (Hook.) Reissek: G.Bentham, *Fl. Austral.* 1: 433 (1863), *p.p.*]

SA

Spyridium polycephalum (Turcz.) Rye

Trymalium polycephalum Turcz.

WA

Spyridium ×ramosissimum (Audas) Kellermann

×*Trymalium ramosissimum* Audas

A hybrid between *Spyridium parvifolium* and *S. daltonii*.

Vic

Spyridium riparium Rye

WA

Spyridium scortechinii (F.Muell.) K.R.Thiele

Cryptandra scortechinii F.Muell.

Stenanthemum scortechinii (F.Muell.) Maiden & Betche

Spyridium leucopogon var. *macrocephalum* F.Muell.

Spyridium leucopogon var. *macrocephala* F.Muell., *orth. var.*

Qld, NSW

Spyridium sp. Jerdacuttup (A.Williams 332) WA Herbarium
WA

Spyridium sp. Little Desert (N.G.Walsh 4767) Vic. Herbarium
Spyridium sp. (Little Desert) [SPRAT database]
Spyridium sp. 1 [*Fl. Victoria* 4: 119 (1999)]
[*Spyridium bifidum* auct. non (F.Muell.) Benth.: J.H.Willis, *Handb. Pl. Victoria* 2: 370 (1973)]
Vic

Spyridium spadiceum (Fenzl) Benth.
Spyridium spadiceum (Fenzl) Benth. var. *spadiceum*
Trymalium spadiceum Fenzl
Cryptandra spadicea (Fenzl) F.Muell.
Pomaderris hirsuta Steud.
Trymalium thomasioides Turcz.
WA

Spyridium spathulatum (F.Muell.) Benth.
Spyridium spathulatum (F.Muell.) Benth. var. *spathulatum*
Trymalium spathulatum F.Muell. [(1855); non *Trymalium spatulatum* (Labill.) Ostenf.]
Trymalium spathulatum F.Muell. [(1856); isonym]
Cryptandra spathulata (F.Muell.) F.Muell.
Trymalium daphnoides Reissek, *nom. illeg.* [*Trymalium spathulatum* F.Muell. cited in synonymy]
Pomaderris spathulata Reissek, *nom. inval., pro syn.*
SA

Spyridium subochreatum (F.Muell.) Reissek
Spyridium subochreatum Reissek var. *subochreatum*
Trymalium subochreatum F.Muell.
Cryptandra subochreatea (F.Muell.) F.Muell.
Pomaderris subochreatea F.Muell. ex Reissek, *nom. inval., pro syn.*
Trymalium behrii F.Muell. ex Reissek
Spyridium subochreatum var. *laxiusculum* J.M.Black
WA, SA, Vic

Spyridium thymifolium Reissek
Spyridium coactilifolium var. *integrifolium* Benth.
Spyridium stuartii Reissek
Spyridium stuarti Reissek, *orth. var.*
Trymalium stuartii F.Muell. ex Reissek, *nom. inval., pro syn.*
Trymalium stuarti F.Muell. ex Reissek, *orth. var.*
[*Cryptandra obovata* auct. non (Hook.) Hook.f.: R.Tate, *Handb. Fl. Extratrop. S. Australia* 97 (1890)]
SA

Spyridium tricolor W.R.Barker & Rye
Spyridium sp. [W.R.Barker in J.P.Jessop, *List Vasc. Pl. S. Australia* 2nd edn, 38 (1984)]
WA, SA

Spyridium ulicinum (Hook.) Benth.
Cryptandra ulicina Hook.
Stenodiscus ulicinus (Hook.) Reissek
Tas

Spyridium vexilliferum (Hook.) Reissek
Cryptandra vexillifera Hook.
Spyridium eriocephalum var. *vexilliferum* (Hook.) F.Muell.
Trymalium diversifolium F.Muell., *nom. inval., nom. nud.*
Spyridium diffusum Reissek
SA, Vic, Tas

Spyridium vexilliferum (Hook.) Reissek var. **vexilliferum**

SA, Vic, Tas

Spyridium vexilliferum var. **latifolium** Benth.

SA, Vic

Spyridium villosum (Turcz.) Benth.

Cryptandra villosa Turcz.

WA

Spyridium waterhousei F.Muell.

Spyridium waterhousii F.Muell., *orth. var.*

Cryptandra waterhousei (F.Muell.) F.Muell.

Cryptandra waterhousii F.Muell., *orth. var.*

Solenandra waterhousei (F.Muell.) Kuntze

Solenandra waterhousii Kuntze, *orth. var.*

Stenanthemum waterhousei (F.Muell.) Benth.

Stenanthemum waterhousii Benth., *orth. var.*

SA

STENANTHEMUM Reissek

Cryptandra sect. *Stenanthemum* (Reissek) Suess.

Spyridium sect. *Stenanthemum* F.Muell., *nom. inval.*, *nom. nud.* [no description of section or reference to a basionym]

Cryptandra sect. *Stenocodon* Hook.f.

Cryptandra subgen. *Solenandra* Reissek, *p.p.*

Solenandra (Reissek) Kuntze, *p.p.*, *nom. illeg.*, *nom. superfl.* [*non* Hook.f. (1873), *nec* Hook.f. (1876)]

Cryptandra sect. *Solenandra* (Reissek) T.Post & Kuntze, *p.p.*

WA, NT, SA, Qld, NSW, Vic, Tas

Stenanthemum arens K.R.Thiele

Stenanthemum sp. Gawler Ranges (J.Carrick 2457) K.R.Thiele [SA Census]

SA

Stenanthemum argenteum A.R.Bean

Qld

Stenanthemum bilobum Rye

WA

Stenanthemum bremerense Rye

Stenanthemum sp. Bremer Range (G.J. Keighery 1687) [Florabase]

WA

Stenanthemum centrale K.R.Thiele

Stenanthemum A83203 Palm Valley [C.R.Dunlop *et al.*, *Checkl. Vasc. Pl. N. Terr.* 97 (1995)]

Stenanthemum sp. Palm Valley (P.K.Latz 10086) [I.D.Cowie & D.E.Albrecht, *Checkl. N. Terr. Vasc. Pl.* [45] (2005)]

NT

Stenanthemum complicatum (F.Muell.) Rye

Spyridium complicatum F.Muell.

Cryptandra complicata (F.Muell.) F.Muell.

WA

Stenanthemum coronatum (Reissek) Reissek

Cryptandra coronata Reissek

Spyridium coronatum (Reissek) F.Muell.

Solenandra coronata (Reissek) Kuntze

Solenandra coronatum Kuntze, *orth. var.*

WA

Stenanthemum cristatum Rye

WA

Stenanthemum divaricatum (Benth.) Rye

Spyridium divaricatum Benth.

Cryptandra divaricata (Benth.) F.Muell., *nom. illeg.*, *nom. superfl.* [non Reissek (1848)]

WA

Stenanthemum emarginatum Rye

WA

Stenanthemum humile Benth.

Cryptandra humilis (Benth.) F.Muell.

Solenandra humilis (Benth.) Kuntze

WA

Stenanthemum intricatum Rye

WA

Stenanthemum leucophractum (Schltdl.) Reissek

Cryptandra leucophracta Schltdl.

Trymalium leucophractum F.Muell. ex Reissek, *nom. inval.*, *pro syn.*

Solenandra leucophracta (Schltdl.) Kuntze

Solenandra leucophractum Kuntze, *orth. var.*

Spyridium leucophractum (Schltdl.) F.Muell.

SA, NSW, Vic

Stenanthemum liberum Rye

Stenanthemum sp. South Ironcap (N. Gibson 2515) [Florabase]

WA

Stenanthemum limitatum Rye

Cryptandra sp. Lesueur (A.S.George 12893) [Florabase]

WA

Stenanthemum mediale Rye

Stenanthemum sp. Yeelirrie (H.Pringle 2755) [Florabase]

WA

Stenanthemum nanum Rye

WA

Stenanthemum newbeyi Rye

WA

Stenanthemum notiale Rye

Cryptandra notiale Rye *ms.*

WA, SA, Vic

Stenanthemum notiale Rye subsp. **notiale**

[*Spyridium tridentatum* *auct. non* (Steud.) Benth.: J.H.Willis, *Handb. Pl. Victoria* 2: 371 (1973); E.M.Canning, *Fl. S. Australia* 4th edn, 2: 819 (1986)]

WA, SA, Vic

Stenanthemum notiale subsp. **chamelum** Rye

Cryptandra tridentata var. *tomentosa* Reissek

WA

Stenanthemum patens Rye

Stenanthemum sp. Mt Clifford (R.Cumming 1267) [Florabase]

WA

Stenanthemum petraeum Rye

Stenanthemum A81040 Docker River [NT Census]

WA, NT

***Stenanthemum pimeleoides* (Hook.f.) Benth.**

Cryptandra pimeleoides Hook.f.

Solenandra pimeleoides (Hook.f.) Kuntze

Solenandra pimelodes Kuntze, *orth. var.*

Stenanthemum pimelioides (Hook.f.) Benth., *orth. var.*

Tas

***Stenanthemum poecilum* Rye**

Cryptandra sp. Canna (J.S. Beard 7204)

WA

***Stenanthemum pomaderroides* (Reissek) Reissek**

Cryptandra pomaderroides Reissek

Solenandra pomaderroides (Reissek) Kuntze

Solenandra pomaderrodes Kuntze, *orth. var.*

WA

***Stenanthemum pumilum* (F.Muell.) Diels**

Spyridium pumilum F.Muell.

Cryptandra pumila (F.Muell.) F.Muell.

Stenanthemum leucocephalum Domin, *nom. inval., pro syn.* [under *Stenanthemum pumilum*]

WA

Stenanthemum pumilum* (F.Muell.) Diels subsp. *pumilum

WA

***Stenanthemum pumilum* subsp. *majus* Rye**

WA

***Stenanthemum radiatum* Rye**

Stenanthemum sp. Burma Road (G.J. Keighery & N. Gibson 2904) [Florabase]

WA

***Stenanthemum reissekii* Rye**

Cryptandra sp. Mt Benia (G.J.Keighery 11080) [Florabase]

WA

***Stenanthemum stipulosum* Rye**

WA

***Stenanthemum sublineare* Rye**

WA

***Stenanthemum tridentatum* (Steud.) Reissek**

Cryptandra tridentata Steud.

Cryptandra tridentata Steud. *var. tridentata*

Cryptandra tridentata *var. pubescens* Reissek, *nom. inval.* [type *var.*]

Spyridium tridentatum (Steud.) Benth.

WA

***Stenanthemum yorkense* Rye**

WA

TRYMALIUM Fenzl

Trymalium Fenzl subgen. *Trymalium*

Trymalium Fenzl sect.. *Trymalium*

Cryptandra sect. *Trymalium* (Fenzl) Kuntze

Trymalium subgen. *Trymalina* Reissek, p.p.

WA, SA

Trymalium angustifolium Reissek

Cryptandra angustifolia (Reissek) F.Muell.

WA

Trymalium daphnifolium Reissek

Trymalium ledifolium var. *daphnifolium* (Reissek) Benth.

WA

Trymalium densiflorum Rye

WA

Trymalium elachophyllum Rye

WA

Trymalium ledifolium Fenzl

Cryptandra ledifolia (Fenzl) F.Muell.

WA

Trymalium ledifolium Fenzl var. **ledifolium**

Cryptandra floribunda Steud.

WA

Trymalium ledifolium var. **lineare** Rye

WA

Trymalium ledifolium var. **rosmarinifolium** (Steud.) Benth.

Pomaderris rosmarinifolia Steud.

Trymalium rosmarinifolium (Steud.) Reissek

Pomaderris westringiifolia Steud.

Pomaderris westringiaefolia Steud., orth. var.

Trymalium westringiifolium (Steud.) Reissek

Trymalium westringiaefolium Reissek, orth. var.

Spyridium westringiifolium (Steud.) Benth.

Spyridium westringiaefolium Benth., orth. var.

Cryptandra westringiifolia F.Muell.

Cryptandra westringifolia F.Muell., orth. var.

Cryptandra anomala Steud.

Cryptandra glaucophylla Steud.

WA

Trymalium litorale (Diels) Domin

Trymalium billardierei var. *litorale* Diels

Trymalium billardieri var. *litorale* Diels, orth. var.

WA

Trymalium monospermum Rye

WA

Trymalium myrtillus S.Moore

WA

Trymalium myrtillus S.Moore subsp. **myrtillus**

WA

Trymalium myrtillus subsp. **pungens** Rye

WA

Trymalium odoratissimum Lindl.

WA

Trymalium odoratissimum Lindl. subsp. **odoratissimum**

- Trymalium billardierei* var. [beta] *tomentoso-hirsutum* Fenzl
- Trymalium billardierei* var. [beta] *tomentoso-hirsuta* Fenzl, *orth. var.*
- Trymalium billardierei* var. [beta] *calvescens* Reissek
- Trymalium billardieri* var. [beta] *calvescens* Reissek, *orth. var.*
- Trymalium floribundum* Steud.
- Trymalium floribundum* Steud. subsp. *floribundum*
- Trymalium expansum* Steud.
- Trymalium billardierei* var. *tomentosum* Reissek
- Trymalium billardieri* var. *tomentosa* Reissek, *orth. var.*
- Trymalium spatulatum* var. *tomentosum* (Reissek) Ostenf.
- Trymalium spathulatum* var. *tomentosum* Ostenf., *orth. var.*
- Trymalium billardierei* var. *hirsutum* Benth., *nom. illeg.*, *nom. superfl.* [same Type as *Trymalium billardierei* var. *tomentosum* Reissek]
- Trymalium billardieri* var. *hirsutum* Benth., *orth. var.*
- Trymalium ledifolium* var. *?obovatum* Benth.

WA

Trymalium odoratissimum subsp. **trifidum** (Rye) Kellermann, Rye & K.R.Thiele

- Trymalium floribundum* subsp. *trifidum* Rye

WA

Trymalium spatulatum (Labill.) Ostenf.

- Trymalium spatulatum* (Labill.) Ostenf. var. *spatulatum*
- Trymalium spathulatum* Ostenf., *orth. var.*
- Ceanothus spatulatus* Labill.
- Ceanothus spatulata* Labill., *orth. var.*
- Pomaderris spatulata* (Labill.) G.Don
- Trymalium billardierei* Fenzl, *nom. illeg.* [based on *Ceanothus spatulatus* Labill.]
- Trymalium billardieri* Fenzl, *orth. var.*
- Cryptandra billardierei* (Fenzl) F.Muell., *nom. illeg.*
- Cryptandra billardieri* F.Muell., *orth. var.*
- Trymalium billardierei* Fenzl var. *billardierei*
- Trymalium billardieri* var. [alpha] *dense-tomentosum* Fenzl
- Trymalium billardierei* var. [alpha] *dense-tomentosa* Fenzl, *orth. var.*

WA

Trymalium urceolare (F.Muell.) Diels

- Trymalium billardierei* var. *urceolare* F.Muell.
- Trymalium billardieri* var. *urceolare* F.Muell., *orth. var.*

WA

Trymalium venustum Rye

- Trymalium villosum* Rye ms. [Florabase]

WA

Trymalium wayi F.Muell. & Tate [Trans. Proc. & Rep. Roy. Soc. S. Australia 5: 80 (1882)]

- Trymalium wayae* F.Muell. & Tate, *orth. var.* [Trans. Proc. & Rep. Roy. Soc. S. Australia 5: 80 (1882)]
- Trymalium wayii* F.Muell., *orth. var.* [Trans. Proc. & Rep. Roy. Soc. S. Australia 6: 109 (1883)]
- Cryptandra wayi* (F.Muell. & Tate) F.Muell. [Syst. Census. Austral. Pl. 140 (1882)]
- Cryptandra wayii* F.Muell., *orth. var.* [Syst. Census. Austral. Pl. 140 (1882)]

SA

VENTILAGO Gaertn.

WA, NT, Qld, NSW

Ventilago ecorollata (F.Muell.) F.Muell.

- Berchemia ecorollata* F.Muell. [(1875)]
- Berchemia corollata* F.Muell., *orth. var.* [(1882)]

Qld

Ventilago pubiflora C.T.White

Qld

Ventilago viminalis Hook.

WA, NT, Qld, NSW

ZIZIPHUS Mill.

Zizyphus Adans., *orth. var.*

WA (native and naturalised), NT (native and naturalised), Qld (native and naturalised)

Ziziphus mauritiana Lam.

Rhamnus jujuba L.

Ziziphus jujuba (L.) Gaertn., *nom. illeg.* [*non* Mill. (1768)]

Ziziphus jujuba (L.) Lam., *nom. illeg.* [(1789); *non* Mill. (1768)]

WA (naturalised), NT (naturalised), Qld (naturalised)

Ziziphus oenopolia (L.) Mill.

Ziziphus oenoplia Mill., *orth. var.*

Rhamnus oenopolia L.

Ziziphus oligantha Merr. & L.M.Perry

Ziziphus oligantha Merr. & L.M.Perry, *orth. var.*

Ziziphus celtidifolia DC. [*Prodr.* 2: 20 (1825)]

Ziziphus rufula Miq. [*Fl. Ned. Ind.* 1(1): 643 (1856)]

Zizyphus rufula Miq., *orth. var.*

NT, Qld

Ziziphus quadrilocularis F.Muell.

Zizyphus quadrilocularis F.Muell., *orth. var.*

WA, NT

Ziziphus timoriensis DC. [*Prodr.* 2: 20 (1825)]

Qld

UNPLACED, DOUTBFUL AND EXCLUDED NAMES

Ceanothus caeruleus Lag.

Ceanothus coeruleus Lodd., G.Lodd. & W.Lodd., *Bot. Cab.* 2: t. 110 (1818), *nom. inval.*, *nom. nud.*

Ceanothus azureus Desf., *nom. inval.*, *nom. nud.* [*Tabl. Ecole Bot. Mis Hist. Nat.* 2nd edn, 232 (1815)]

Ceanothus azureus Desf. ex DC. [*Prodr.* 2: 31 (1825)]

Ceanothus azureus Desf. ex Paxton, *nom. illeg.*

An American species erroneously recorded as "native to New Holland" by C.Loddiges *et al.*, *Bot. Cab.* 2: t. 110 (1818).

Cryptandra australis Pers.

Cryptandra australis Sm. ex Roem. & Schult., *nom. illeg.*, *nom. superfl.*

This name was published by Persoon (*Syn. Pl.* 1: 250 (1805)), apparently based on the Smith's generic description of *Cryptandra* rather than on any type material. It thus cannot be applied to any Australian taxa.

Cryptandra miliaris Reissek var. *miliaris*

Listed by A.D.Chapman, *Austral. Pl. Name Index* 833 (1991), however this name is not validly published in accordance with ICBN (2006) Art. 27.2, Ex. 1.

Cryptandra obovata Sieber ex DC.

Bartlingia obovata (Sieber ex DC.) Brongn. ex Meisn.

A synonym of *Pultenaea altissima* F.Muell. ex Benth. (Fabaceae).

Cryptandra tenuiramea Steud.

A name of uncertain application, with Type material consisting of a young sterile branch.

Disaster novoguineensis Gilli

This is *Commersonia novoguineensis* (Gilli) Guym. (Sterculiaceae).

Phylica australis Link

Although listed by Link as "Hab. in Australia?", this name is a synonym of *Phylica parviflora* Berg from southern Africa (see N.S.Pillans, *J. S. Afr. Bot.* 8: 95 (1942)).

Phylica thymifolia Vent.

Erroneously recorded for Australia by G.L.M.Dumont de Courset, *Le Bot. Cult.* 2nd edn, 5: 275 (1811). Given by N.S.Pillans (*J. S. Afr. Bot.* 8: 19, 24 (1942)) as a synonym of both *Phylica paniculata* Willd. from southern Africa and of *P. polifolia* (Vahl) Pillans from St Helena.

Pomaderris commutata Ettingsh.

A name of uncertain application. Listed (as a fossil plant) by A.D.Chapman, *Austral. Pl. Name Index* 2370 (1991), however, K.Suessenguth in H.G.A.Engler & K.A.Prantl, *Nat. Pflanzenfam.* 21d: 112 (1953), states: "*P. commutata* Hort. Schoenbrunn ex Ettingshausen ... Nur Blattnervatur bekannt, fraglich ob zu *Pomaderris* gehörig...", i.e. a living plant from the Botanic Gardens in Vienna (Schoenbrunn), with only an image of the leaf nervature known (J.Kellerman, *pers. comm.* 2010).

Pomaderris acuminata Link

A name of uncertain application.

Pomaderris kumeraho A.Cunn.

A New Zealand taxon, erroneously recorded for Australia by W.M.Curtis, *Stud. Fl. Tasmania* 1: 111 (1956) as a synonym of *Pomaderris elliptica*. Curtis refers to N.A.Wakefield, *Vict. Nat.* 68: 140 (1951), 69: 127 (1953) but the name is not recorded in either of those papers.

Pomaderris ovata (Desf.) Nois ex Steud.

Ceanothus ovatus Desf.

Listed by E.G.Steudel, *Nomencl. Bot.* 1: 646 (1821). A North American taxon, now referred to *Ceanothus herbaceus* Raf.

Rhamnus incanus Roxb.

Basionym of *Alphitonia incana* (Roxb.) Teijsm. & Binn. ex Kurz, a name misapplied to *Alphitonia oblata* in Australia. The name *Rhamnus incanus* does not appear to have been used in the Australian literature other than in synonymy (e.g. see A.R.Bean, *Muelleria* 28 (1): 15 (2010)).

Spyridium Fenzl sect. *Spyridium*

Although listed by A.D.Chapman, *Austral. Pl. Name Index* 2713 (1991), no names at sectional rank have been validly published in *Spyridium*, and therefore the autonym has not been established.

Spyridium pauciflorum (Turcz.) Benth.

Cryptandra pauciflora Turcz.

A name of uncertain application.

Spyridium prostratum Reissek

Pomaderris prostrata Reissek, *nom. inval.*, *pro syn.* [under *Spyridium prostratum* Reissek]

A name of uncertain application.

Trymalium brevifolium Reissek

A name of uncertain application, possibly referable to a species of *Spyridium*.

Trymalium ledifolium var. *platyphyllum* Diels

The Type material at B for this taxon was probably destroyed during the Second World War. B.L.Rye, *Nuytsia* 11: 130 (1996) suggests this name may be a synonym of *Trymalium ledifolium* var. *rosmarinifolium* (Steud.) Benth.

Trymalium vaccinioides Suess. & Overkott

Type material for this taxon has not been located. B.L.Rye, *Nuytsia* 11: 130 (1996) suggests this name may be a synonym of *Trymalium ledifolium* var. *rosmarinifolium* (Steud.) Benth.

Trymalium velutinum F.Muell. ex Reissek

Trymalium velutinum F.Muell. ex Reissek var. *velutinum*

Trymalium velutinum var. *huegeliana* Reissek

Trymalium velutinum var. *stuartiana* Reissek

A name of uncertain application, possibly referable to *Spyridium* or *Pomaderris*.

Ventilago racemosa F.Muell., *nom. inval.*, *nom. nud.*

Published without a description by F.J.H. von Mueller in a report on the plants collected during the Gregory expedition near the Gulf of Carpentaria in 1856. There is one specimen identified as *Ventilago viminalis* at MEL which was probably collected during the expedition (Gulf of Carpentaria, *s.d.*, *F.Mueller. s.n.*), but without further information this name cannot be assigned with any certainty.