

Wh	Stop and think. at could cause harm	Assess the harm	What needs to be in place before you start	Re-assess the level of risk
Identify and list each hazard that is part of this event	Record how/when the worker is exposed to the hazard (e.g. what is the route of exposure)	Calculate the risk rating without controls in place (See descriptor table Appendix A)	The measures you select must address the hazard, be selected in accordance with the Hierarchy of Control and be clear to the worker. NOTE: The control measures below are examples only. Schools/Branches will need to tailor appropriate control measures based on the nature, size and location of the event. These examples are interdependent i.e. not related to a specific event.	i.e. the residual risk rating after controls are in place
Inadequate access and egress	<ul> <li>Access and egress points could become blocked</li> <li>Access and egress is not adequate for the number of people attending</li> <li>Thoroughfares are not well defined and clearly marked</li> </ul>	This risk assessment rating will vary, based on the nature, size and location of the event so has not been included in the examples.	<ul> <li>Isolation <ul> <li>Dedicated event entry points identified [List].</li> <li>Barriers are in place to define paths of access and egress.</li> </ul> </li> <li>Administration <ul> <li>Event entry/exit points are monitored by a Security officer/a designated member of the event team.</li> <li>Paths are identified on the Traffic Management Plan and the members of the event team have been informed during their induction.</li> <li>Paths are defined using spray paint.</li> <li>Paths are monitored every 30 minutes during the event by the event team.</li> </ul> </li> </ul>	This risk assessment rating will vary, based on the nature, size and location of the event so has not been included in the examples.
Fraffic flow – hit by a moving vehicle	<ul> <li>Areas for traffic and pedestrian have not been defined and separated</li> <li>Provision for safe passage of emergency and other vehicles has not been considered</li> <li>There is no traffic control</li> <li>There is inadequate signage for directions</li> </ul>		<ul> <li>Isolation <ul> <li>Traffic has been separated from pedestrians using temporary barriers/bunting.</li> </ul> </li> <li>Administration <ul> <li>The event has been co-ordinated in consultation with Facilities Management and is in accordance with the University/s Traffic Management Plan.</li> <li>Designated members of the event team have been rostered to assist with traffic control.</li> <li>Separate entry points (gate number) nominated for the Emergency Services. Security to advise emergency services prior to the event.</li> <li>Directional signage displayed. One way only.</li> <li>Paths of travel for vehicles has been included on the Traffic Management Plan.</li> <li>A spotter has been appointed, who is not the driver, for each forklift//industrial lift truck to assist the operator to restrict/monitor access until completion.</li> </ul> </li> </ul>	

HSW Handbook	Events Safety Management (Information Sheet)	Effective Date:	17 January 2020	Version 2.5		
Authorised by	Director, HSW	Review Date:	17 January 2023	Page 1 of 5		
Warning	This process is uncontrolled when printed. The current version of this document is available on the HSW Website.					



EXAMPLES C	EXAMPLES ONLY DRAFT EVENTS – SAFETY MANAGEMENT PLAN (RISK ASSESSMENT) (APPENDIX B)					
Wh	Stop and think. at could cause harm	Assess the harm	What needs to be in place before you start	Re-assess the level of risk		
Identify and list each hazard that is part of this event	Record how/when the worker is exposed to the hazard (e.g. what is the route of exposure)	Calculate the risk rating without controls in place (See descriptor table Appendix A)	The measures you select must address the hazard, be selected in accordance with the Hierarchy of Control and be clear to the worker. NOTE: The control measures below are examples only. Schools/Branches will need to tailor appropriate control measures based on the nature, size and location of the event. These examples are interdependent i.e. not related to a specific event.	i.e. the residual risk rating after controls are in place		
Insufficient amenities	<ul> <li>There are insufficient provision of toilets and hand washing facilities (including disabled toilets)</li> <li>There is insufficient signage to direct attendees to amenities</li> <li>There is insufficient monitoring of amenities during the event (e.g. to restock supplies, clean)</li> </ul>	This risk assessment rating will vary, based on the nature, size and location of the event so has not been included in the examples.	<ul> <li>Male, female and disabled toilet facilities are open to the public in[building(s)].</li> <li>Additional temporary signage installed on barriers to direct attendees to amenities.</li> <li>[Contractors] engaged to monitor amenities during the event and restock supplies and clean if required.</li> </ul>	This risk assessment rating will vary, based on the nature, size and location of the event so has not been included in the examples.		
Hazardous chemicals are in use Use of: □ a flammable gas The SDS for the chemical will provide additional information	<ul> <li>LPG could cause a fire and explosion if there is a source of ignition</li> <li>There are specific storage arrangements required for the chemical.</li> </ul>		<ul> <li>Engineering</li> <li>LPG cylinders are secured to increase stability.</li> <li>Administration</li> <li>LPG cylinders are positioned clear of ignition sources and in a well ventilated area.</li> <li>LPG cylinders have been checked and are in date.</li> <li>SDS for LPG is available on site</li> <li>Dry chemical fire extinguishers are positioned adjacent to</li> </ul>			
Hazardous Plant/Equipment ("Plant") (During operation)	<ul> <li>The forklift/industrial lift truck could collide with another person or thing.</li> <li>Catering equipment could cause a significant burn.</li> <li>Catering equipment requires extension leads which present electrical hazards if damaged or wet.</li> <li>A refrigerated trailer is in use.</li> </ul>		<ul> <li>Forklift/Industrial lift truck</li> <li>Evidence provided and on file - all forklift/industrial lift truck operators have a high risk work licence.</li> <li>The operator provided with information re the designated pathways as per the traffic management plan.</li> <li>Operation of the forklift/industrial lift truck must only occur before/after the event.</li> <li>Speed restricted to walking pace.</li> <li>Catering equipment</li> <li>Hazardous equipment is secure and not accessible to the public</li> <li>Catering equipment never to be left unattended when on and to be switched off when not in use.</li> <li>All cords to be taped down and/or covered to prevent tripping.</li> </ul>			

Γ	HSW Handbook	Events Safety Management (Information Sheet)	Effective Date:	17 January 2020	Version 2.5			
	Authorised by	Director, HSW	Review Date:	17 January 2023	Page 2 of 5			
Γ	Warning	This process is uncontrolled when printed. The current version of this document is available on the HSW Website.						



EXAMPLES C	EXAMPLES ONLY DRAFT EVENTS – SAFETY MANAGEMENT PLAN (RISK ASSESSMENT) (APPENDIX B)					
Wh	Stop and think. at could cause harm	Assess the harm	Assess the harm What needs to be in place before you start			
Identify and list each hazard that is part of this event	Record how/when the worker is exposed to the hazard (e.g. what is the route of exposure)	Calculate the risk rating without controls in place (See descriptor table Appendix A)	The measures you select must address the hazard, be selected in accordance with the Hierarchy of Control and be clear to the worker. NOTE: The control measures below are examples only. Schools/Branches will need to tailor appropriate control measures based on the nature, size and location of the event. These examples are interdependent i.e. not related to a specific event.	i.e. the residual risk rating after controls are in place		
Hazardous Plant/Equipment (During operation) (Continued)		This risk assessment rating will vary, based on the nature, size and location of the event so has not been included in	<ul> <li>Refrigerated trailer</li> <li>Door must be able to be opened by hand from the inside without a key</li> <li>Internal lighting must be controllable only from within the room.</li> <li>A means of communicating or alerting others in case of emergency.</li> </ul>	This risk assessment rating will vary, based on the nature, size and location of the event		
Manual Handling	Set up/pack-up requires carrying, lifting and/or transferring of heavy/awkward/dirty/ unpredictable/unbalanced objects, equipment, chairs, tables.	the examples.	<ul> <li>Engineering <ul> <li>Truck to be used to transport equipment/event items via gate []</li> <li>Forklift/sack truck/trolley to be available via the Event Co-ordinator/ [insert location].</li> </ul> </li> <li>Administration <ul> <li>Team meeting held to discuss and co-ordinate bump in and bump out of all items. (Including any deadlines, inspection of event location/layout, impact of environmental conditions.)</li> <li>Loads to be delivered as close as possible to area.</li> </ul> </li> <li>PPE <ul> <li>Grip gloves, protective clothing and enclosed footwear to be worn when completing manual handling activities.</li> </ul> </li> </ul>	so has not been included in the examples.		
Noise	<ul> <li>Noise levels could impact on communications between organisers, security, attendees.</li> <li>Noise levels could impact workers in adjacent buildings.</li> <li>Loud music is a part of the event.</li> </ul>		<ul> <li>Administration</li> <li>Contact cards distributed to the events team</li> <li>Event co-ordinator, Faculty reps and area reps holding mobiles at all times</li> <li>Key personnel will have Uni radios to communicate with Security.</li> <li>Communication plan in place. Email to be distributed to key contacts in [name buildings] advising of the event.</li> </ul>			

HSW Handbook	Events Safety Management (Information Sheet)	Effective Date:	17 January 2020	Version 2.5			
Authorised by	Director, HSW	Review Date:	17 January 2023	Page 3 of 5			
Warning	This process is uncontrolled when printed. The current version of this document is available on the HSW Website.						



Wh	Stop and think. at could cause harm		Assess the harm	What needs to be in place before you start	Re-assess the level of risk
Identify and list each hazard that is part of this event	Record how/whe the worker is exposed to (e.g. what is the route of	the hazard	Calculate the risk rating without controls in place (See descriptor table Appendix A)	The measures you select must address the hazard, be selected in accordan with the Hierarchy of Control and be clear to the worker. NOTE: The control measures below are examples only. Schools/Branches will need appropriate control measures based on the nature, size and location of the even These examples are interdependent i.e. not related to a specific event.	risk rating after controls
Temporary structures	<ul> <li>A marquee is to be insta The installation will required penetration and could primpact underground ser water, power, gas</li> <li>Temporary structures c impacted by weather co (e.g. wind, rain, become fall over)</li> <li>Temporary structures c access/egress.</li> <li>Scaffolding is required.</li> </ul>	ire earth otentially vices – ould be nditions e airborne or	This risk assessment rating will vary, based on the nature, size and location of the event so has not been included in the examples.	<ul> <li>Engineering</li> <li>Anchor mechanisms are in place and suitably protected (e.g. to prevent trips).</li> <li>Administration</li> <li>Contractors engaged through Facilities Management.</li> <li>Information on the Traffic Management Plan provided to contractors and key person structures have been checked following installation.</li> </ul>	This risk assessment ratin will vary, based o the nature, size ar location of the eve so has not been included in the examples.
Emergency management	<ul> <li>Workers/attendees cou medical assistance durin</li> <li>Workers/attendees cou affected by heat/cold du event.</li> <li>There could be a poten aggressive, threatening due to the nature of the</li> <li>The location of the ever an issue for Emergency gain access or to provid</li> <li>There are insufficient w co-ordinate an emergen e.g. evacuation?</li> <li>There are am insufficient fire extinguishers availal</li> <li>There are no provisions worker/attendee with a comparison</li> </ul>	ng the event. Id be ring the tial for behaviour event. nt could pose Services to e treatment. ardens to cy response nt number of ble. s for any disability in		<ul> <li>Administration</li> <li>Emergency response plan is in place (including for those with a disability). (The plan includes but is not limited to fire, medical emergency, failure of resources personal threat, evacuation.)</li> <li>Perimeter for the event has been clearly defined and all key personnel have been pr copy of the Emergency response plan.</li> <li>Sufficient number of Wardens and First Aiders nominated and positioned in each qu monitor activities and raise an alarm via mobile/radio and assist to direct attendees</li> <li>Key personnel are provided with identification vests.</li> <li>Warden/Security to co-ordinate access for emergency vehicles via gate [].</li> <li>Fire extinguishers positioned adjacent to first aid station(s) set up on [].</li> </ul>	rovided with a Juadrant to
	the event of an emerger HSW Handbook		anagement (Information Sheet)	Effective Date: 17 January 2020 Version 2.5	_



## HSW Handbook

EXAMPLES ONLY	DRAFT EVE	ENTS – SAFETY N	IANAGEMENT PLAN (RISK ASSESSMENT) (APP	ENDIX B)
Wł	Stop and think. As What could cause harm		What needs to be in place before you start	Re-assess the level of risk
Identify and list each hazard that is part of this event	Record how/when the worker is exposed to the hazard (e.g. what is the route of exposure)	Calculate the risk rating without controls in place (See descriptor table Appendix A)	The measures you select must address the hazard, be selected in accordance with the Hierarchy of Control and be clear to the worker. NOTE: The control measures below are examples only. Schools/Branches will need to tailor appropriate control measures based on the nature, size and location of the event. These examples are interdependent i.e. not related to a specific event.	i.e. the residual risk rating after controls are in place
Event activities	<ul> <li>The event requires a liquor license.</li> <li>The event involves working with animals.</li> <li>The event involves amusement rides/structures or inflatable structures.</li> </ul>	This risk assessment rating will vary, based on the nature, size and location of the event so has not been included in the examples.	<ul> <li>Alcohol <ul> <li>A liquor licence has been obtained.</li> <li>Appropriate numbers of responsible personnel have been appointed to manage the serving of alcohol and to monitor the safety of those consuming alcohol.</li> </ul> </li> <li>Animals <ul> <li>Nominated staff to supervise and control the animal(s) at all times. Muzzles to be used if appropriate.</li> </ul> </li> <li>Amusement structures <ul> <li>Amusement structures are not to be used or operated unless a current certificate of registration issued by SafeWork SA can be provided. (Interstate registrations are not acceptable in SA)</li> <li>All structures have current certificate of inspection issued by a professional engineer and qualified electrician.</li> <li>Appropriate space and suitable ground surface is allocated for each ride, including access and egress for patrons.</li> <li>There is appropriate fencing surrounding rides.</li> </ul> </li> </ul>	This risk assessment rating will vary, based on the nature, size and location of the event so has not been included in the examples.

HSW Handbook	Events Safety Management (Information Sheet)	Effective Date:	17 January 2020	Version 2.5		
Authorised by	Director, HSW	Review Date:	17 January 2023	Page 5 of 5		
Warning	This process is uncontrolled when printed. The current version of this document is available on the HSW Website.					